

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 1 of 6

AERODROME NAME: 	REFERENCE NO:
AERODROME MANAGER:	DATE(S) OF INSPECTION:
ADDRESS: FAX: TEL NUMBER: E-MAIL: WEBSITE:	NAME AND POSITION OF AIRPORT ATTENDANT: CONTACT PHONE NO : EMAIL:

AERODROME DATA	
PHYSICAL FACILITIES	DATA AND DESCRIPTION
Aerodrome Reference Point	
Direction and distance from the town	
Aerodrome Elevation	
Aerodrome Reference Temperature	
AERODROME DIMENSIONS:	
RUNWAY	
Designation number	
Length	
Width	
Surface type	
Instrument/Non-Instrument	
Elevation of each threshold	
Highest elevation of TDZ	
STRIP	
Length	
Width	
Surface type	
STOPWAY	
Length	
Width	
Ground profile	
CLEARWAY	
Length	
Width	

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 2 of 6

Surface type APRON	
Surface type	
Number of aircraft that can Park	
TAXIWAY	
Length	
Width	
Surface type	
Coordinates of centreline points	
DECLARED DISTANCES (metres)	
TORA	
TODA	
ASDA	
LDA	
OTHER PUBLISHED AERODROME DATA	
RFFS Published Category	
Location/frequency VOR checkpoint	
Published PCN/Max. aircraft weight	
Published ICAO Code	

CONDITION OF THE MOVEMENT AREA, FACILITIES, EQUIPMENT AND SAFETY PROCEDURES		
FACILITY, EQUIPMENT OR SERVICE	SATISFACTORY	UNSATISFACTORY – ACTION TO BE TAKEN
RUNWAYS		
STRIP		
STOP WAY		
TAXIWAYS		

This is a controlled document	Issued January 2013
-------------------------------	---------------------

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 3 of 6

APRON		
RESA		
CONDITION OF THE MOVEMENT AREA, FACILITIES, EQUIPMENT AND SAFETY PROCEDURES		
OBSTACLES: Any obstacles in the vicinity of the aerodrome (TYPE/HGT/DIST/BRG from ARP or easy location eg. Down wind, approach, etc. and obstacle marking)		
VISUAL AIDS FOR NAVIGATION		
Wind Direction indicator (Wind sock)		
Runway edge markers/markings		
Runway threshold markers/markings		
Runway designation markers/markings		
Aerodrome name designator		
Runway edge/CL lighting		
VASIS/PAPI/APAPI		
Approach lights (Simple/CAT)		
Specify any other aerodrome/markers Markings/lighting		
AERODROME SIGNAGES		
Mandatory Signages		
Information Signages		
Other signages		
ELECTRICAL SYSTEM		
Reliability of Primary Power Supply		
Serviceability of Secondary Power Supply		
Adequacy of switch-over time		
Capacity of secondary power		

This is a controlled document	Issued January 2013
-------------------------------	---------------------

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 4 of 6

RESCUE AND FIRE FIGHTING SERVICES		
Water (ltr)/Foam Compound		
Dry Chemical powder (kg)		
Minimum number of RFFS personnel at any one time		
RFFS equipment including vehicles		
Personnel training Records/Program		
Vehicle capacities		
Amount of storage of foam		
CONDITION OF THE MOVEMENT AREA, FACILITIES, EQUIPMENT AND SAFETY PROCEDURES		
AERODROME EMERGENCY PLAN		
Procedures for AEP		
Communication facilities for AEP		
List of organizations involved		
Procedures for emergency in difficult terrain, if applicable		
Testing of AEP		
List and contact of AEP personnel		
Aerodrome grid map		
INSPECTION AND MAINTENANCE PROCEDURES OF MOVEMENT AREAS		
Periodic Inspection of movement areas		
Maintenance of movement area		
Availability of condition reports		
Availability of two-way communication		
APRON MANAGEMENT SERVICES		
Availability of marshalling services		
Adequacy of parking stands		
Availability of two way communication		
Marshalling signals comply with MOS		
Marshallers adequately trained		
Procedure for control of airside vehicles		
Control of personnel into airside		
FOD's are emptied regularly		
Airside drivers trained		
Airside drivers adhere to speed limit		
Adequacy of floodlighting		
AERODROME SECURITY		
Aerodrome fencing		

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 5 of 6

Security lighting at buildings and apron		
Aerodrome incursion control		
Adequacy of Security Programme		
AERODROME BUILDINGS		
Adequacy of Terminal facilitation		
Availability of Hangars		
PROTECTION OF NAVAIDS		
Control of Construction Works		
Prevention of signal interference/vandalism		
CONDITION OF THE MOVEMENT AREA, FACILITIES, EQUIPMENT AND SAFETY PROCEDURES		
WILDLIFE HAZARD MANAGEMENT(WHM)		
Procedure for Control of Wildlife Hazard		
Organization for WHM		
Effectiveness of control measures		
Reports on wildlife management		
AIRCRAFT REFUELLING FACILITIES		
Availability and type of fuel		
Adequacy of procedures for safe delivery of fuel into aircraft		
Records of periodic audits of fuel installations/fuel quality		
WORKS SAFETY		
Procedures for works safety		
Adequacy of Method of Work Plan		
Communication between TWR and works supervisor		
REMOVAL OF DISABLED AICRAFT		
Availability of procedure for removal		
Active Telephone number		
AERODROME REPORTING		
Mandatory reporting		
Incident/accident reporting		

This is a controlled document	Issued January 2013
-------------------------------	---------------------

	TANZANIA CIVIL AVIATION AUTHORITY SAFETY REGULATION	Revision: 0
Document No. TCAA/FRM/SR/AGA-012	CHECKLIST FOR LICENSING INSPECTION OF CATEGORY B AERODROMES	Page 6 of 6

AERODROME(S) IN THE PROXIMITY INCLUDING COORDINATES OF ARP AND DECLARED DISTANCES		
AERONAUTICAL INFORMATION SERVICES AND CHARTS		
Aerodrome Grid/Zoning Maps		
Currency of declared distances		
Currency of contact addresses		
METEOROLOGICAL SERVICES		
Availability of MET services		
Type of data (RAINF/TEMP/WIND/HUM)		
HANDLING OF HAZARDOUS MATERIAL		
Procedure for handling of HAZMAT		
Adequacy of Storage facilities		
Training on handling of HAZMAT		
ACTIONS TAKEN, IF ANY, REMARKS AND RECOMMENDATIONS INCLUDING OUTSTANDING NOTAM AND RECOMMENDED NOTAM TO BE PROMULGATED OR CANCELLED:		
INSPECTOR'S SIGNATURE		
INSPECTOR'S NAME		