

 <p>FAX: (255 22) 2844300, 2844302 PHONE: (255 22) 2198100 AFS: HTDQYOYO Email: tcaa@tcaa.go.tz, ais@tcaa.go.tz Website: www.tcaa.go.tz</p>	<p>UNITED REPUBLIC OF TANZANIA TANZANIA CIVIL AVIATION AUTHORITY Aeronautical Information Management Nyerere/ Kitunda Road Junction Aviation House, 1st Floor, P.O. Box 2819, DAR ES SALAAM</p>	<p>AIRAC AIP Supplement</p> <p>14/26</p> <p>Published on 28 MAY 2026</p>
<p>Document No: TCAA/FRM/ANS/AIM - 56</p>	<p>Title: AIP Supplement</p>	<p>Page 1 of 3</p>

Effective Date: 09 July 2026

AERODROMES (AD)

S14 Pemba Airport – HTPE

Pemba Airport is undergoing major rehabilitation and expected to be completed on 07 October 2028. The rehabilitation will be done in four (4) phases During all 4 phases the following activities will be carried out.

- I. Extension of Runway (RWY 02/20) from 1525 M to 2510 M length and from 30 M to 45 M width
- II. Threshold displacement for both RWY
- III. Approach Lighting System (SALS)
- IV. Construction of Apron and Taxiways
- V. Displacement of PAPI for RWY 02/20
- VI. Construction of new terminal bulding
- VII. Establishment of temporary turning pads with temporary markings

A. Phase 1, from 09 July 2026 to be completed on 12 November 2026

This will consists extension of Runway north part of RWY 20 by extending of 240 M length and 45 M width.

Status and condition of RWY 02/20 available for aircraft operations during phase 1 are listed and provided in AD section below.

- I. THR RWY 20 displaced by 325 M. New declared distances available (see table below AD 2.13)
- II. Removal of Simple Approach Light system (SALS) RWY 20
- III. Displacement of PAPI for RWY 20 (see attached AD chart)
- IV. Establishment of temporary turning pad rwy 20 with the temporary markings (see the AD chart below)
- V. Obstacle free zone length 150 M established at the end of RWY 20 (DTHR RWY 20). Shall not be used for aircraft landing and takeoff.

HTPE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR Co-ordinates</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
02	024°	1200 x 30	PCN 17/F/B/Y/U Tarmac	051549.01S 0394831.74E	57 FT
20	204°	1200 x 30	PCN 17/F/B/Y/U Tarmac	051512.96S 0394846.57E	61 FT
<i>Slope of RWY - SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>RESA dimensions (M)</i>
7	8	9	10	11	12
02 +0.1	Nil	Nil	1255 x 150	Nil	Nil
20 -0.1	Nil	Nil	1255 x 150	Nil	240 x 90

HTPE AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
02	1200	1200	1200	1200	Nil
20	1200	1200	1200	1200	Nil

(Cancel NOTAM B0140/26)

See Attachments to this AIP Supplement

Attachment to AIP Sup 14/26

AERODROME CHART - ICAO 05°15'27"S 039°48'41"E ELEV 63 ft TWR 118.8/126.0 CHAKE CHAKE/ Pemba Airport

DIMENSIONS IN METERS
ELEVATION IN FEET
BEARINGS ARE MAGNETIC

RWY	DIRECTION	THR RWY02 DTHR RWY20	BEARING STRENGTH
02	024°	05°15'49.01"S 039°48'31.74"E	PCN 17/F/B/Y/U
20	204°	05°15'12.96"S 039°48'46.57"E	

TAXIWAYS 15M WIDE

