 <p>Fax: (255) 22 2844300, 2844302 PHONE: (255) 22 2198100, 2844291 AFS: HTDQYOYO E-MAIL: tcaa@tcaa.go.tz, ais@tcaa.go.tz Website: www.tcaa.go.tz</p>	<p>UNITED REPUBLIC OF TANZANIA TANZANIA CIVIL AVIATION AUTHORITY Aeronautical Information Management Nyerere/ Kitunda Road Junction Aviation House, 1st Floor, P.O. Box 2819, DAR ES SALAAM</p>	<p>AIRAC AIP Supplement</p> <p>19//21</p> <p>1 July 2021</p>
<p>Document No: TCAA/FRM/ANS/AIS- 56</p>	<p>Title: AIP Supplement</p>	<p>Page 1 of 6</p>

Effective Date 12 August 2021

AERODROME

S19 Nungwi Airport – HTUW

The purpose of this AIRAC AIP Supplement is to notify the Aviation Industry the establishment of Nungwi Airport.

The Aerodrome data details and Aerodrome chart are attached to this AIRAC AIP Supplement.

(See Attachment A and B to this AIRAC AIP Supplement)

Attachment A to AIRAC AIP SUP S19/21

HTUW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

HTUW: Nungwi/Nungwi

HTUW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	05°45'11.56S 039°18'57.71E
2	<i>Direction and distance from (city)</i>	4.5KM SSE of Nungwi Town
3	<i>Elevation/Reference temperature</i>	77 FT AMSL /33° C
4	<i>MAG VAR/Annual change</i>	1.7° W (2020)/ 0.03° W
5	<i>AD Administration, address, telephone, Telefax, telex, AFS, E- Mail.</i>	Airport Manager P.O. Box 4742 Zanzibar Tel: +(255)24 22 31653 E-mail: info@zaa.go.tz Website: www.zaa.go.tz
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	Nil

HTUW AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	DAILY 04:30 – 15:00
2	<i>Customs and immigration</i>	Prior Notice required
3	<i>Health and sanitation</i>	Available as AD Operational hours
4	<i>Aeronautical Information Services</i>	Nil
5	<i>ATS Reporting Office (ARO)</i>	Nil
6	<i>MET Briefing Office</i>	Nil
7	<i>ATS</i>	Nil
8	<i>Fueling</i>	Nil
9	<i>Handling</i>	Nil
10	<i>Security</i>	Available as AD Operational hours
11	<i>De-icing</i>	Nil
12	<i>Remarks</i>	Nil

HTUW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	Nil
2	Fuel/ oil types and grades	Nil
3	Fueling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

HTUW AD 2.5 PASSENGERS FACILITIES

1	Hotels	In town
2	Restaurants	In town
3	Transportation	Taxis, car hire, buses from Town
4	Medical facilities	First Aid at AD, Hospitals in town (4.5 Km)
5	Bank and Post Office	Available in town
6	Tourist Office	Available in town
7	Remarks	Nil

HTUW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD Category for fire fighting	Within AD HR: Category 0
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	Procedure exists, primary responsibility is with the operator
4	Remarks	Nil

HTUW AD 2.7 SEASONAL AVAILABILITY -CLEARING

1	Types of clearing equipment	Nil
2	Clearing priorities	Nil
3	Remarks	Nil

HTUW AD 2.8 APRON, TAXIWAY AND CHECK LOCATIONS DATA

1	<i>Apron surface and strength</i>	Surface: Compacted Gravel Strength: 5,700Kg
2	<i>Taxiway width, surface and strength</i>	Width: 20M Surface: Compacted Gravel Strength: 5,700Kg
3	<i>ACL Location and elevation</i>	Location: Not available Elevation: Not available
4	<i>VOR/ INS Checkpoints</i>	VOR: Nil INS: Nil
5	<i>Remarks</i>	Nil

HTUW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS: - NIL

HTUW AD 2.10 AERODROME OBSTACLES

<i>In approach /TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remark</i>
1			2		3
<i>RWY/Area affected</i>	<i>Obstacle type Elevation Markings/LGT</i>	<i>Co-ordinates</i>	<i>Obstacle type Elevation Markings/LGT</i>	<i>Co-ordinates</i>	<i>Nil</i>
a	b	C	a	b	c
			Zantel Mast 90M AGL	05 45 41.00S 039 18 07.80E	400M FM THR RWY 36
			Vodacom Mast 72M AGL	05 45 42.90S 039 18 07.60E	
			TTCL Mast 72M AGL	05 45 41.10S 039 17 57.40E	
			Electrical Power Line		

HTUW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED – NIL

HTUW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designation RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY(M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
18	176	2000 X 30	5,700Kg Compacted Gravel	05 44 57.76S 039 18 56.27E	57 FT
36	356	2000 X 30	5,700Kg Compacted Gravel	05 46 02.56S 039 19 03.04E	77 FT
<i>Slope of RWY-SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strip Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
18 +0.3%	Nil	Nil	2150 x 150	Nil	Nil
36 -0.3%	Nil	Nil	2150 x 150	Nil	Nil

HTUW AD 2.13 DECLARED DISTANCES

<i>RWY Designators</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
18	2000	2000	2000	2000	NIL
36	2000	2000	2000	2000	NIL

HTUW AD 2.14 APPROACH AND RUNWAY LIGHTING: - NIL

HTUW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY: - NIL

HTUW AD 2.16 HELICOPTER LANDING AREA: - NIL

HTUW AD 2.17 ATS AIRSPACE: - NIL

HTUW AD 2.18 ATS COMMUNICATION FACILITIES: - NIL




HTUW AD 2.19 RADIO NAVIGATION AND LANDING AIDS: - NIL

HTUW AD 2.23 ADDITIONAL INFORMATION: - NIL

Attachment B to AIRAC AIP SUP S19/21

05° 45' 11.56"S
AERODROME CHART— ICAO 039° 18' 57.71"E ELEV 77 FT **ZANZIBAR APP 121.2** NUNGWI/
 NUNGWI AIRPORT

ELEV IN FEET
 DIST IN METERS
 BEARING ARE MAGNETIC



TAXIWAY 20 M WIDE

RWY	DIRECTION	THR	BEARING STRENGTH
18	176°	05°44'57.775"S 039°18'56.268"E	5,700 KG
36	356°	05°46'02.557"S 039°19'03.036"E	

TANZANIA CIVIL AVIATION AUTHORITY

1 JULY 2021